Testing the ability of submersible spectrophotometers to trace suspended sediment sources at high-temporal frequency

#### Niels Lake<sup>1,2</sup>, Núria Martínez-Carreras<sup>1</sup>, Peter Shaw<sup>2</sup>, Adrian Collins<sup>3</sup>

<sup>1</sup> Catchment and Eco-hydrology Research Group (CAT), Environmental Research and Innovation (ERIN) department, Luxembourg Institute of Science and Technology (LIST), 41 rue du Brill, L-4422 Belvaux, Luxembourg

<sup>2</sup> Centre for Environmental Science, School of Geography and Environmental Science, University of Southampton, Highfield, Southampton, Hampshire SO17 1BJ, UK

<sup>3</sup> Sustainable Agriculture Sciences Department, Rothamsted Research, North Wyke, Okehampton EX20 2SB, UK



Contact: niels.lake@list.lu



# Southampton









- 1. Sediment fingerprinting: current limitations for high-frequency observations
- 2. What is spectrophotometry?
- 3. Hypothesis
- 4. Preliminary results
- 5. Future research directions

#### 1. SEDIMENT FINGERPRINTING: CURRENT LIMITATIONS FOR HIGH-FREQUENCY OBSERVATIONS

- Suspended Sediment (SS) sampling at the catchment outlet: limited by workload, automatic sampling equipment, and the need for sufficient quantities of SS for analysis.
- Laboratory analysis: analysis of SS properties involves high workload.
- Sample preservation: SS properties might change during sampling and transport to the lab.

#### $\rightarrow$ Use of spectrophotometer?




LUXEMBOURG INSTITUTE OF SCIENCE AND TECHNOLOGY


Some methods for collecting SS; Autosampler and Philips sediment trap

## 2. WHAT IS SPECTROPHOTOMETRY?

Working principles:

→ The xenon lamp, the light emitting source, emits light (**photons**). These photons contain different energy levels (wavelengths). Depending on properties of the water & sediments, these photons get absorbed. The spectrophotometer here measures over the UV-VIS wavelength range (200-730nm).





Spectrophotometer used in this research experiment, with details on internal structure. Water & sediments are detected while passing through the measuring path. *Source: <u>http://www.s-can.at/</u>* 



## CAN A SPECTROPHOTOMETER INDICATE SS PROPERTIES?


#### → Current application focusses on (drinking/waste) water quality parameters

Measuring:

- Absorbance UV-VIS range.
- TSS, Turbidity, NO<sub>3</sub>-N, COD, BOD, TOC, DOC, UV254, colour, O<sub>3</sub>, H<sub>2</sub>S, assimilable organic carbon.

#### → Suitable for detecting SS properties?

 Bass et al. (2011) & Martínez-Carreras et al. (2016) estimated SS properties (Particulate Organic Matter, Loss-on-ignition) by calibrating the spectrophotometer readings using SS samples.




LUXEMBOURG INSTITUTE OF SCIENCE AND TECHNOLOGY

Bass, A.M., Bird, M.I., Liddell, M.J., Nelson, P.N., 2011. Fluvial dynamics of dissolved and particulate organic carbon during periodic discharge events in a steep tropical rainforest catchment. Limnol. Oceanogr. 56, 2282–2292. Martínez-Carreras, N., Schwab, M.P., Klaus, J., Hissler, C., 2016. In situ and high frequency monitoring of suspended sediment properties using a spectrophotometric sensor. Hydrol. Process. 30, 3533–3540.

### **3. HYPOTHESIS**



The absorbance values (200-730nm) measured by the submersible spectrophotometer, influenced by SS properties, can be used as tracers to un-mix sediment samples, assigning relative contributions to their individual sources.



The blue, black and red lines are directly measured by the spectrophotometer.

The green line is calculated by taking 0.5\*blue line + 0.5\*black line (expected absorbance signal mixture)

## **HOW DO WE TEST THE HYPOTHESIS?**

Using selected soil material as input for a water tank set-up, to test:

- → How the spectrophotometer readings react to the different selected soils?
  (6 soils, sieved to 3 fractions:
  [>32 µm, 32-63 µm, 63-125 µm])
- How differences in readings from the selected soils can be used to un-mix artificial created mixtures comprising of these soils?


(using 2, 3 and 4 soil sample mixtures; with known contributions)



Selected soils and examples of mixtures (mixture contributions depicted here are for example purpose only and differ from real contributions used)

## HOW DO WE TEST THE HYPOTHESIS?





Input: soils & mixtures


#### Test in laboratory tank set-up

(Expected) output spectrophotometer

### **4. PRELIMINARY RESULTS**

#### **Overall impressions:**

- Mixture line measured (blue) and mixture line expected (orange) show same pattern
- Deviations between mixture line measured and mixture line expected range from <u>+/- 0% to +/-20%</u>
  - → For <u>12</u> tested two-soil mixtures (110 values):
    - \* 38% of values <5% deviation
    - \* 61% of values <10% deviation
    - \* 2 values >20% deviation [21.72 & 24.29%]
  - $\rightarrow$  For <u>6</u> tested three-soil mixtures (59 values):
    - \* 22% of values <5% deviation
    - \* 58% of values <10% deviation
    - \* Highest deviation: 15%



nm

Mixture soil 1 & soil 2 (<32µm) - 1000 mg/L

Example of a two-soil sample mixture (upper figure) and a three-soil sample mixture (lower figure). The orange line (expected mixture absorbance signal) is calculated using the relative contributions of the single soil lines (e.g. upper figure, orange line is composed of 20% line soil 1 (red) and 80% line soil 2 (green).

9

#### WHAT ISSUES IN THE SEDIMENT FINGERPRINTING APPROACH COULD IN-SITU SPECTROPHOTOMETRY POTENTIALLY TACKLE?



- 1. The possibility to predict SS source contributions at **high-frequency** (frequency intervals up to 2 minutes).
- 2. The possibility to investigate changes in SS source contributions over **longer time scales** (e.g. different seasons).

Supported by the advantage that when sources are identified and spectrophotometer spectra are calibrated, **limited SS sampling** (and thus laboratory analysis) **is needed.** 

### **5. FUTURE RESEARCH DIRECTIONS**

- How to deal with influences of concentration and particle size on the absorbance spectra?
- Can we use absorbance data to "see" specific sediment properties (e.g colour, mineralogical composition) by looking at specific wavelengths/ wavelength ranges?
- Testing the approach in a "real-life" situation
  → e.g. small catchment with distinctive SS sources.



