Geophysical Research Abstracts Vol. 17, EGU2015-13293, 2015 EGU General Assembly 2015 © Author(s) 2015. CC Attribution 3.0 License.



New insight into the generation of the 2013 Lushan Ms 7.0 earthquake, China

Zhi Wang (1)

(1) Chengdu University of Technology, State Key Laboratory of Oil and Gas Reservoir Geology and Exploitation, Chengdu, China (mike-wang@sohu.com), (2) Key Laboratory of Marginal Sea Geology, Chinese Academy of Sciences, South China Sea Institute of Oceanology, Guangzhou 510301, China

Global seismic waveform inversion can reveal where rupture initiated and how it expanded in the 2013 Ms 7.0 Lushan earthquake in the Sichuan province of China. To investigate the generation mechanism of this earthquake and its relation to the 2008 Wenchuan earthquake (Ms 8.0), we installed 50 temporal seismic stations at the source area following the Lushan earthquake. The crustal stress data along the Longmen-Shan fault zone (LMFZ) were also collected and used to reveal its influence on the Lushan earthquake generation. Our crustal stress analysis and seismic imaging indicates that the Lushan earthquake occurred in a distinct area with high-velocity (Vp, Vs), low-Poisson's ratio and high crustal stress. The high velocity zone at the Lushan source may reflect the metamafic seismogenic layer that enables the accumulation of high crustal stress for large earthquake generation. However, a sharp contrast gap body with slow velocity and high-Poisson's ratio anomalies is estimated in the upper crust under the conjunction area between the Lushan and Wenchuan earthquakes. Our seismic images indicate that the low-velocity gap zone is associated with fluid-bearing ductile flow from the lower crustal materials of Tibet being pushed into the weakened segment of the LMFZ. Our study suggests that the 2013 Lushan earthquake may have been triggered by the high crustal stress accumulation together with the high coseismic stress increased by the Wenchuan earthquake in the metamafic seismogenic layer. The contrasting rheological variation in the crust and crustal stress change along the LMFZ controls the rupture processes of the Lushan and Wenchuan earthquakes, as well as the generation of new earthquakes in the future.