



High sensitive gas detection and isotopic measurement for the applications of industrial emission online monitoring and air pollution source tracking

Fengzhong DONG (1,2), Zhirong ZHANG (1), Hua XIA (1), Xiaojuan CUI (1,3), Tao PANG (1), Bian WU (1), Weidong CHEN (3), Markus Sigrist (1,4)

(1) Anhui Institute of Optics and Fine Mechanics, Chinese Academy of Sciences, Hefei, China (fzdong@aiofm.cas.cn), (2) College of Environmental Science and Optoelectronic Technologies, University of Science and Technology of China [U+FF0C] No.96 Jin-Zhai Road, Hefei, Anhui 230026, (3) Laboratory of Physical Chemistry of the Atmosphere Université du Littoral Côte d'Opale, 189A, Av. Maurice Schumann, 59140 Dunkerque, FRANCE, (4) ETH Zürich, Institute for Quantum Electronics, Otto-Stern-Weg 1, HPF G7, CH-8093 Zürich, Switzerland

High sensitive gas detection and isotopic measurements have been widely employed in the industrial and safety production. The recent progress made by our group on high sensitive gas detection with technologies of TDLAS, off-axis integrated cavity output spectroscopy (OA-ICOS) and cavity ring-down spectroscopy (CRDS) will be briefly summarized in this report. Some works for field applications of industrial emission online monitoring and gas leakage detection in oil tank farm with TDLAS are first presented, and then part of our most recent researches on isotopic gas detection with OA-ICOS and CRDS for tracking of pollution sources are also introduced.