Geophysical Research Abstracts Vol. 18, EGU2016-10363, 2016 EGU General Assembly 2016 © Author(s) 2016. CC Attribution 3.0 License.



Quaternary Tipping Points in Tropical Northern Australia

Patrick Moss (1), Gavin Dunbar (2), Jacky Croke (1), and Rosie Katunar (1)

(1) The University of Queensland, School of Geography, Planning and Environmental Management, Brisbane, Australia (patrick.moss@uq.edu.au), (2) Antarctic Research Centre, Victoria University of Wellington, New Zealand

Tropical northern Queensland, particularly the volcanic Atherton Tableland, contains some of the most detailed and longest terrestrial palaeoenvironmental archives in Australia and when combined with adjacent marine sediment records provides key insight into potential environmental 'tipping points' for the entire Quaternary period and beyond. This presentation will provide an overview of some of the key tipping points (i.e. significant landscape transformation) that have occurred within the tropical northern Australian region over the Quaternary, as well as discussing potential causes and subsequent impacts of these transformation episodes. These events include the development of the Great Barrier Reef, transition from obliquity to eccentricity dominated glacial-interglacial cycles, the Mid-Brunhes event, the Oxygen Isotope Stage 6 episode, the arrival of people into the region, Last Glacial-Interglacial Transition and European settlement.