Geophysical Research Abstracts Vol. 18, EGU2016-12019-1, 2016 EGU General Assembly 2016 © Author(s) 2016. CC Attribution 3.0 License.



Stochastic analysis and modeling of abnormally large waves

Konstantin Kuznetsov (1,2), Roman Shamin (1), and Aleksandr Yudin (1)

(1) People's Friendship University of Russian Federation (konstantin.kouznetsov@gmail.com), (2) Nizhny Novgorod State Technical University (konstantin.kouznetsov@gmail.com)

In this work stochastics of amplitude characteristics of waves during the freak waves formation was estimated. Also amplitude characteristics of freak wave was modeling with the help of the developed Markov model on the basis of in-situ and numerical experiments. Simulation using the Markov model showed a great similarity of results of in-situ wave measurements[1], results of directly calculating the Euler equations[2] and stochastic modeling data.

This work is supported by grant of Russian Foundation for Basic Research (RFBR) n°16-35-00526.

- 1. K. I. Kuznetsov, A. A. Kurkin, E. N. Pelinovsky and P. D. Kovalev Features of Wind Waves at the Southeastern Coast of Sakhalin according to Bottom Pressure Measurements //Izvestiya, Atmospheric and Oceanic Physics, 2014, Vol. 50, No. 2, pp. 213–220. DOI: 10.1134/S0001433814020066.
- 2. R.V. Shamin, V.E. Zakharov, A.I. Dyachenko. How probability for freak wave formation can be found // THE EUROPEAN PHYSICAL JOURNAL SPECIAL TOPICS Volume 185, Number 1, 113-124, DOI: 10.1140/epjst/e2010-01242-y
- 3.E. N. Pelinovsky, K. I. Kuznetsov, J. Touboul, A. A. Kurkin Bottom pressure caused by passage of a solitary wave within the strongly nonlinear Green-Naghdi model //Doklady Physics, April 2015, Volume 60, Issue 4, pp 171-174. DOI: 10.1134/S1028335815040035