Geophysical Research Abstracts Vol. 18, EGU2016-14239, 2016 EGU General Assembly 2016 © Author(s) 2016. CC Attribution 3.0 License.



The Search-coil Magnetometer for the THOR mission

Fouad Sahraoui (1), Jean-louis Pinçon (2), Guillaume Jannet (2), Malik Mansour (1), Pierre Henri (2), Gilles Chalumeau (2), Tedjani Hachemi (2), Alexis Jeandet (1), Nicolas Briand (1), Olivier Le Contel (1), and Laurence Rezeau (1)

(1) Laboratoire de Physique des Plasmas, CNRS-Ecole Polytechnique, Palaiseau, France (fouad.sahraoui@lpp.polytechnique.fr), (2) Laboratoire de Physique et de Chimie de l'Environnement et de l'Espace, LPC2E/CNRS 3A, Avenue de la Recherche Scientifique 45071 Orléans cedex 2 France

Turbulence Heating ObserveR (THOR) is the first mission ever flown in space fully dedicated to plasma turbulence. The search-coil magnetometer (SCM) of THOR is a triaxial dual-band antenna dedicated to measuring the magnetic field fluctuations in the frequency range [1Hz,4kHz] and [1,200]kHz. THOR/SCM has a long heritage from earlier space missions such as Cluster, Themis, MMS, BepiColombo, Taranis, Solar orbiter and Solar Probe. In comparison to those missions, the SCM of THOR has a higher sensitivity level, which makes it capable of measuring very low amplitude magnetic fluctuations, in particular in the solar wind. Those measurements are crucial to address the problem of turbulence and energy dissipation at electron scales, a central goal of the THOR mission.