

ACME-V campaign: intensive greenhouse gases observations in the North Slope of Alaska during summer 2015

Sebastien Biraud (1), Margaret Torn (1), Art Sedlackek (2), Stephen Springston (2), and Colm Sweeney (3)

(1) Lawrence Berkeley National Laboratory, Earth Sciences Division, Berkeley, United States, (2) Brookhaven National Laboratory, Environmental & Climate Sciences Department, Upton, USA, (3) NOAA Earth System Research Laboratory, Boulder, USA

Atmospheric temperatures are warming faster in the Arctic than predicted by climate models. The impact of this warming on permafrost degradation is not well understood, but it is projected to increase carbon decomposition and greenhouse gas production (CO_2 and/or CH_4) by arctic ecosystems. Airborne observations of atmospheric trace gases, aerosols and cloud properties in North Slopes of Alaska (NSA) are improving our understanding of global climate, with the goal of reducing the uncertainty in global and regional climate simulations and projections.

From June 1 through September 15, 2015, the Atmospheric radiation measurement (ARM) airborne facility (AAF) deployed a G1 research aircraft (ARM-ACME-V mission) to fly over the North Slope of Alaska, with occasional vertical profiling between Prudhoe Bay, Oliktok point, Barrow, Atkasuk, Iqotuk, and Toolik Lake. The aircraft payload includes a Picarro and a LGR analyzers for continuous measurements of CO_2 , CH_4 , H_2O , and CO and N_2O mixing ratios, and a 12-flask sampler for analysis of carbon cycle gases (CO_2 , CO , CH_4 , N_2O , $^{13}\text{CO}_2$, and trace hydrocarbon species including ethane). The aircraft payload also include measurements of aerosol properties (number size distribution, total number concentration, absorption, and scattering), cloud properties (droplet and ice size information), atmospheric thermodynamic state, and solar/infrared radiation.