Geophysical Research Abstracts Vol. 19, EGU2017-17181-3, 2017 EGU General Assembly 2017 © Author(s) 2017. CC Attribution 3.0 License.



## Ice cores and calcite precipitates from alpine ice caves as useful proxies in paleoclimate reconstructions

Renato R. Colucci (1,2), Carlo Barbante (3), Michele Bertò (3,4), Giuliano Dreossi (4), Daniela Festi (5), Emanuele Forte (6), Jacopo Gabrieli (3,4), Mauro Guglielmin (7), Davide Lenaz (6), Marc Luetscher (5,8), Valter Maggi (9), Francesco Princivalle (6), Margit Schwikowski (10), Barbara Stenni (4), and Manja Žebre (11) (1) Department of Earth System Sciences and Environmental Technology, ISMAR-CNR, Italy, (2) Commissione Grotte E. Boegan, Società Alpina delle Giulie – CAI, Italy, (3) Institute for the Dynamics of Environmental Processes - CNR-IDPA, Venice, Italy, (4) Department of Environmental Sciences, Informatics and Statistics, Ca' Foscari University of Venice, Italy, (5) University of Innsbruck, Institute of Geology, Innrain 52, 6020 Innsbruck, (6) Department of Mathematics and Geosciences, University of Trieste, Italy, (7) Insubria University, Varese, Italy, (8) Austrian Academy of Sciences, Interdisciplinary Mountain Research, (9) Milano Bicocca University&EuroCold Lab., Milano, Italy, (10) Paul Scherrer Institut, Switzerland, Laboratory of Environmental Chemistry, (11) Geological Survey of Slovenia, Slovenia

In the last years a growing set of research campaigns have been undertaken in the European southeastern Alps. The aim of such interest is mainly due to the peculiar climatic conditions of this area, allowing the existence of periglacial and glacial evidence at the lowest altitude in the Alps. The reason for such "anomaly" is likely ascribable to very high mean annual precipitation and local topoclimatic amplifications. In the frame of this research, in the fall 2013 a 7.8 m long ice-core has been extracted from a permanent cave ice deposit located in the area of Mt. Canin (2,587 masl) in the Julian Alps. The ice-core has been cut and analysed in terms of: a) oxygen and hydrogen isotope composition; b); black carbon and dust concentrations; c) water conductivity; d) mineralogical analyses via X-ray powder diffraction. In the fall 2016, in the same area, a set of 1.0 m long horizontal ice cores have been extracted in another ice cave deposit, intercepting a preserved layer of coarse cryogenic cave carbonates (CCCcoarse). Such original finding represents the first alpine evidence of in situ CCCcoarse and the first occurrence from the southern side of the Alps. A unique opportunity to better understand the processes associated with the formation of CCCcoarse and the well-preserved status of samples allow planning, besides U/Th datings, several different analyses which may be associated with the precipitation of CCC. Subglacial calcite crusts, widespread in the area, represents a further proxy able to help understanding the evolution of climate during the holocene in this alpine sector. In the light of accelerated climate change we discuss here the potential of this still untapped and fragile cryospheric archives for paleoclimatic reconstructions in high elevated areas of the Alps.