



Dynamic Grid Adaptations in Moist 2D Shallow Water and 3D Nonhydrostatic Dynamical Cores

Christiane Jablonowski (1), Jared Ferguson (1), Hans Johansen (2), and Phillip Colella (2)

(1) University of Michigan, Climate and Space Sciences and Engineering, Ann Arbor, United States, (2) Lawrence Berkeley National Laboratory, Computational Research Division, Berkeley, United States

In previous work (McCorquodale et al., 2015; Ferguson et al., 2016) we have developed and tested a high-order, finite-volume, multi-block Adaptive Mesh Refinement (AMR) framework for solving the shallow water equations on the sphere. The framework is built upon the AMR library Chombo which has been developed at the Lawrence Berkeley National Laboratory (LBNL). Chombo supports the ‘cubed-sphere’ grid geometry which serves as the base computational grid for atmospheric AMR applications.

The paper provides insight into the latest Chombo-AMR model developments. In particular, moisture processes have been added to the 2D shallow water framework which mimics the addition of a simplified physical parameterization package to the atmospheric dynamical core. The moisture interactions provide nonlinear forcing effects which challenge the AMR technique and the scale dependencies in the moist model. In addition, the Chombo-AMR framework supports the 3D nonhydrostatic, shallow-atmosphere equation set with 2D (horizontal) mesh adaptations. Idealized dynamical core test cases, like the colliding modons test by Lin et al. (2017) and selected examples from the Dynamical Core Model Intercomparison Project (DCMIP) test case suite, are used to illustrate the characteristics of the dynamically adaptive atmospheric model. It is suggested that AMR dynamical cores can serve as the basis for future-generation weather and climate models. They allow selected high-resolution areas while limiting the overall computational burden.

References:

Dynamical Core Model Intercomparison Project (DCMIP). Online resources and test case descriptions available at

<https://www.earthsystemcog.org/projects/dcmip-2012/> and <https://www.earthsystemcog.org/projects/dcmip-2016/>

Ferguson, J.O., C. Jablonowski, H. Johansen, P. McCorquodale, P. Colella, and P.A. Ullrich (2016). Analyzing the Adaptive Mesh Refinement (AMR) Characteristics of a High-Order 2D Cubed-Sphere Shallow-Water Model. *Mon. Wea. Rev.*, Vol. 144, 4641–4666. doi: 10.1175/MWR-D-16-0197.1

Lin, S.-J., L. Harris, X. Chen., W. Yao and J. Chai (2017). Colliding modons: A nonlinear test for the evaluation of global dynamical cores. *Journal of Advances in Modeling Earth Systems*. Vol. 9, 2483–2492. doi: 10.1002/2017MS000965

McCorquodale, P., P. A. Ullrich, H. Johansen, and P. Colella (2015). An adaptive multiblock high-order finite-volume method for solving the shallow-water equations on the sphere. *Commun. Appl. Math. Comput. Sci.*, Vol. 10, 121–162. doi:10.2140/camcos.2015.10.121