Geophysical Research Abstracts Vol. 20, EGU2018-3973, 2018 EGU General Assembly 2018 © Author(s) 2018. CC Attribution 4.0 license.



Deriving 3D displacements from SAR amplitude images: Applications to earthquake, volcano and underground nuclear test

Teng Wang, Shengji Wei, and Sylvain Barbot Nanyang Technological University, Earth Observatory of Singapore, Singapore (wang.teng@ntu.edu.sg)

Synthetic aperture radar (SAR) imagery is a powerful remote-sensing technology that allows for mapping the surface displacement with the resolution of a few meters. Although Interferometric SAR (InSAR) has been widely used in earth science studies, applications often suffer from decorrelation in the area of large displacement gradient, causing data gap near the ruptured crust. Pixel offsets between SAR amplitude images can provide unambiguous ground displacement measurements in both the radar line-of-sight (range) direction and the along-track (azimuth) flight direction, allowing for deriving complete (3D) displacement in the near field. Here we will present how SAR amplitude images can help us better understand geodynamic processes via three independent cases:

- 1) The 2014-15 Holuhraun fissure eruption at Bárðarbunga volcano, Iceland. In this case, we show the detailed time-series 3D deformation of a forming graben. We also show that the near-filed 3D displacement renewed our knowledge of how the curst was opened during an oblique rift event.
- 2) The 2016 Kaikoura (New Zealand) earthquake. In this case, we combine SAR amplitude images from the ESA's Sentinal-1A and the JAXA's ALOS-2 for identifying surface ruptures, and for deriving 3D coseismic displacements. We show that the vertical displacements are positively correlated with topography along the coast but are negatively correlated with topography farther inland, suggesting opposite coseismic contributions to the shaping of the Earth's surface in a single event.
- 3) The 2016 North Korea Nuclear test. In this case, we determine the first-ever 3D displacement field associated with underground nuclear test using TerraSAR-X SAR amplitude images. Elastic dislocation modeling of the surface displacements and focal mechanism solutions consistently reveal compaction and collapse processes following the initial explosion.

The three cases presented here demonstrate that SAR amplitude information is important for revealing unprecedented displacement field near the ruptured crust. Such detailed geodetic measurements can bring new knowledges about the deformed crust.