



Trends in Extreme Indices for Israel based on a new daily homogenized database

Yizhak Yosef (1,2), Enric Aguilar (3), and Pinhas Alpert (1)

(1) Porter School of the Environment and Earth Sciences, Tel-Aviv University, Tel-Aviv, Israel (yizhakyosef@mail.tau.ac.il),
(2) Israel Meteorological Service, Bet-Dagan, Israel, (3) Center for Climate Change (C3), Universitat Rovira i Virgili,
Tarragona, Spain

This study examines the 1950-2017 temporal changes in temperature and precipitation climate extremes over Israel, which is located in the East-Mediterranean region. This region suffers from scarcity of long and reliable datasets. A thorough homogenization routine, which involves some of the state-of-the-art methods, was developed in order to detect and adjust artificial shifts due to changes in the measurements conditions (e.g. station relocation, different devices and environmental changes). As a consequence, a new daily adjusted dataset that contains 34 temperature and 60 precipitation stations was generated. Based on this new daily homogenized dataset, extreme indices recommended by the Expert Team on Climate Change Detection and the Expert Team on Sector-specific Climate Indices were calculated. Results showed highly significant changes in temperature extremes associated with warming, especially for those indices derived from daily minimum temperature along a reduction in the total precipitation amount and a tendency toward more intense wet days. We will present our homogenization routine followed by some of the observed changes in the extreme indices over Israel.