



Wave-atmospheric modelling, satellite and in situ observations in the Southern North Sea: the impact two-way coupling on the lower atmosphere

Anne Wiese, Emil Stanev, Wolfgang Koch, Arno Behrens, Beate Geyer, and Joanna Staneva
Helmholtz-Zentrum Geesthacht, Institute for Coastal Research/System Analysis and Modelling, Geesthacht, Germany

In this study, the effects of coupling an atmospheric model and a wind wave model on the lower atmosphere within the North Sea are studied. The two-way coupling of the models is enabled through an introduction of wave-induced drag in the atmospheric model and updated wind in the wind wave model. Due to the two-way coupling not only the effect of coupling an atmospheric model to the wind wave model on the wind waves can be analysed, but also the effect on the atmosphere are determined. This includes the effects on the exchange between the ocean and the atmosphere, as well as the effects within and above the boundary layer. As a result of the wave-induced drag many atmospheric parameters are directly or indirectly influenced by the wave conditions. The impact on the wind conditions at the surface is the most obvious effect of the wave-induced drag, but the changes due to two-way coupling also spread into higher parts of the atmosphere, also with changes above the boundary layer height. However, other parameters like fluxes between the ocean and atmosphere as well as the temperature are modified by the coupling within and above the boundary layer as well. By analysing the spatial distribution of the effects within the coupled area locations where the effects of the coupling are the largest are identified. Furthermore, the propagation of the changes due to the coupling within and also out of the coupled model area over the ocean and over different parts of Europe is assessed. Moreover, events with maximum impact of the two-way coupling on the atmosphere are identified. The coupled and uncoupled model data is compared to in-situ and remote sensing measurements in order to estimate the improvements due to the two-way coupling.