Geophysical Research Abstracts Vol. 21, EGU2019-8068, 2019 EGU General Assembly 2019 © Author(s) 2019. CC Attribution 4.0 license.



## Multiple carbon isotope events during the Carnian Pluvial Episode in the Northern Calcareous Alps.

Sylvain Richoz (1,2) and Leopold Krystyn (3)

(1) Department of Geology, Lund University, Lund, Sweden (sylvain.richoz@geol.lu.se), (2) Institute of Earth Sciences, Graz University, Graz, Austria, (3) Institute of Paleontology, Vienna University, Vienna, Austria (Leopold.Krystyn@univie.ac.at)

The Carnian Pluvial Episode is a major phase of global climatic and biotic changes during the Triassic. A drastic increase in siliciclastics, profound changes of the type of carbonate factory on the platform and drastic biotic turnover marked this period. Multiple shifts in the carbon isotope curves record perturbations in the carbon cycle. However, until now there are discrepancies between the  $\delta$ 13Ccarb and the  $\delta$ 13Corg curves. Carbonate carbon isotope curves in the classical sections of the Dolomites and the Northern Calcareous Alps of Austria are not reflecting the multiple negative shifts as seen in the  $\delta$ 13Corg of these areas or in the  $\delta$ 13Ccarb in South China and Oman. Here we present  $\delta 13$ Ccarb curves from two sections in the Juvavicum nappes system of the Northern Calcareous Alps of Austria: Leckkogel (Gosaukamm), a 320m long section and the 770m long Aflenz-Bürgeralmsection (Hochschwab). Both successions start with 350m of the Julian (early Carnian) Leckkogel Formation, a detritusrich carbonate slope facies interrupted by three terrigeneous intervals; the latter is followed in Aflenz by 400m of platy limestone of Tuvalian age (late Carnian). These two expanded sections show three negative shifts of 1 to 4 per mill in the Julian 1 to Tuvalian 1, a strong positive peak of up to 4.8% at the base of Tuvalian 2, followed by a 4\% negative shift in the late Tuvalian 2. The new results demonstrate that the multiple shifts in the carbon isotope curves on carbonates are also present in the western Tethys, where the carbonate successions are expanded enough. Within our well-dated chronostratigraphic framework, they show the high complexity of the perturbations of the carbon cycle around the Carnian Pluvial Episode.