

EGU2020-10925

<https://doi.org/10.5194/egusphere-egu2020-10925>

EGU General Assembly 2020

© Author(s) 2023. This work is distributed under the Creative Commons Attribution 4.0 License.



## High resolution CO<sub>2</sub> record of the great Plio-Pleistocene glaciations using boron isotopes

Rachel Brown<sup>1</sup>, Thomas Chalk<sup>1</sup>, Paul Wilson<sup>1</sup>, Eelco Rohling<sup>1,2</sup>, and Gavin Foster<sup>1</sup>

<sup>1</sup>School of of Ocean and Earth Science, University of Southampton, United Kingdom of Great Britain and Northern Ireland (rb13g17@soton.ac.uk)

<sup>2</sup>Research School of Earth Sciences, The Australian National University, Canberra 2601, Australia

The intensification of Northern Hemisphere glaciation (iNHG) at 3.4-2.5 million years ago (Ma) represents the last great transition in Cenozoic climate state with the development of large scale ice sheets in the Northern Hemisphere that waxed and waned with changes in insolation. Declining atmospheric CO<sub>2</sub> levels are widely suggested to have been the main cause of iNHG but the CO<sub>2</sub> proxy record is too poorly resolved to provide an adequate test of this hypothesis. The boron isotope-pH proxy, in particular, has shown promise when it comes to accurately estimating past CO<sub>2</sub> concentrations and is very good at reconstructing relative changes in CO<sub>2</sub> on orbital timescales. Here we present a new orbitally resolved record of atmospheric CO<sub>2</sub> (1 sample per 3 kyr) change from Integrated Ocean Drilling Program Site 999 (12.74°N, -78.74 °E) spanning ~2.6–2.4 Ma based on the boron isotope ( $\delta^{11}\text{B}$ ) composition of planktic foraminiferal calcite, *Globingerinoides ruber* (sensu stricto, white). We find that  $\delta^{11}\text{B}$  values of *G. ruber* show clear glacial-interglacial cycles with a magnitude that is similar to those of the Mid-Pleistocene at the same site and elsewhere. This new high-resolution view of CO<sub>2</sub> during the first large glacial events of the Pleistocene confirms the importance of CO<sub>2</sub> in amplifying orbital forcing of climate and offers new insights into the mechanistic drivers of natural CO<sub>2</sub> change.