

EGU2020-2603

<https://doi.org/10.5194/egusphere-egu2020-2603>

EGU General Assembly 2020

© Author(s) 2023. This work is distributed under the Creative Commons Attribution 4.0 License.



DACAPO-PESO: Remote Sensing and In-situ Observations in Sub-Antarctica (53°S,71°W) to Enhance the Understanding of Aerosol-Moisture-Cloud-Precipitation Interaction

Heike Kalesse¹, Patric Seifert², Martin Radenz², Johannes Bühl², Teresa Vogl¹, Willi Schimmel¹, Andreas Foth¹, Audrey Teisseire², Holger Baars², Ronny Engelmann², Boris Barja³, Jonas Witthuhn², Frank Stratmann², Albert Ansmann², and Felix Zamorano³

¹University of Leipzig, Institute for Meteorology, Leipzig, Germany (heike.kalesse@uni-leipzig.de)

²Leibniz Institute for Tropospheric Research (TROPOS), Leipzig, Germany

³Atmospheric Research Laboratory LIA-UMAG, University of Magallanes, Punta Arenas, Chile

The southern midlatitudes and Sub-Antarctica are a key region for the Earth's climate and a source for uncertainties in climate modelling. The low concentration of ice nucleating particles is considered to diminish the efficiency of heterogeneous ice formation. Climate models underestimate the supercooled liquid water content which causes shortwave radiation biases.

The project DACAPO-PESO (Dynamics, Aerosol, Cloud And Precipitation Observations in the Pristine Environment of the Southern Ocean) which is being conducted in Punta Arenas (53°S, 71°W), Chile from Nov 2018 – March 2020 is endorsed by YOPP (Year of Polar Prediction) and fills an observational gap in the Southern Oceans, for which to date hardly any combined observations of lidar, cloud radar and microwave radiometer are available.

During that field experiment, LACROS (Leipzig Aerosol and Cloud Remote Observations System) of Leibniz Institute for Tropospheric Research (TROPOS) which comprises numerous remote sensing instruments, including multi-wavelength polarization Raman lidar, cloud radars, microwave radiometer, radiation sensors among others is deployed. From March 2019 onwards, additionally in-situ observations of the INP and cloud condensation nuclei properties were collected by TROPOS on a 623m high mountain 10 km upwind of the LACROS site. Meso-scale numerical modeling will provide support for interpretation of the results.

The presentation will be dedicated to