

# Non-linear interactions of urban and freshwater systems: Exploring implications for sustainability and water planning and management

Hector Angarita<sup>1,3</sup>, Vishal Mehta<sup>2</sup> and Efraín Domínguez<sup>3</sup>

Human population is progressing into a predominantly urban configuration. Currently, 3.5 billion people – 55% of the total human population – live in urban areas, with an increase to 6.68 billion (68%) projected by 2050. In this progressively more populated world, a central issue of sustainability assessments is understanding the role of cities as entities that, despite their comparatively small physical footprint (less than 0.5% of the global area) demand resources at regional and global scales.

Many of the resources that sustain cities directly depend on the freshwater system: from direct fluxes from/to the immediate environment for water supply or waste elimination, to water-dependent activities like biomass (food, biofuels, fibers) and energy production. Urban and freshwater system interactions are subject to multiple sources of non-linearity.



## BACKGROUND: SCALE-DEPENDENCY AND LONG-TERM URBAN SYSTEM DYNAMICS





As defined by Bettencourt et al. (2007), "The exponent,  $\beta$ , reflects general dynamic rules at play across the urban system" over a wide range of scales.

Although debate remains with respect to the universality of scaling laws to predict some city's attributes (i.e. Arcaute et al., 2015), understanding the scaling of resource dependency and environmental impacts is a promising element in assessing pathways for long-term sustainability of the population.



(Fig. 3 from Bettencourt et al., 2007)

(1) Stockholm Environment Institute, Latin America Centre. Bogotá, Colombia (hector.angarita@sei.org), (2) Stockholm Environment Institute, US-Centre. Davis, USA, (3) Pontificia Universidad Javeriana, Departamento de Ecología y Territorio. Bogotá, Colombia

### A framework to quantify regional interactions between urban and hydrologic systems

We propose a framework to explore how non-linear factors like:

- Patterns of size or distribution and interconnection of groups of cities
- Nested and hierarchical character of freshwater systems
- Management strategies

#### Can influence

- The amount of resources required to sustain and grow urban population
- The cumulative pressure exerted on the freshwater system



### Population size and distribution: N Total urban resource requirement: C

![](_page_0_Figure_26.jpeg)

![](_page_0_Figure_27.jpeg)

We explore the non-linear character of those interactions, to: identify water management options to avoid, minimize or offset regional impacts of growing urban populations, and

explore long-term implications of such non-linearities for the resource base of urban areas.

#### ACKNOWLEDGMENTS

Present work was supported by the "Generación del Bicentenario" scholarship program (Call number 511-2010) funded by Colombia's Departamento administrativo de ciencia, tecnología e innovación (Colciencias) and the Stockholm Environment's Institute's Urban Initiative. The authors would like to thank Sam Sandoval from UC Davis, Erik Porse from UCLA, Anne Hereford from Stockholm Environment Institute, Carlos Rogéliz and Juliana Delgado from The Nature Conservancy, Juan Diego Giraldo from Pontificia Universidad Javeriana, and Gerald Corzo from Delft-IHE, for their ideas and contributions to the consolidation of the research.

![](_page_0_Figure_34.jpeg)

-----

### A CASE STUDY

![](_page_0_Figure_37.jpeg)

URBAN SYSTEM: Electricity demands

![](_page_0_Figure_39.jpeg)

The case study results indicate that freshwater-mediated resource dependencies of urban population are described by a linear or superlinear regime that indicates a lack of scale economies. However, freshwater systems' capacity to assimilate those resource demands is characterized by a sublinear regime. Current practices and technological approaches to couple freshwater and urban systems will not be able to withstand the resource demands of mid-term future population scenarios.

Our approach allows quantification of the projected gaps to achieve a sustained resource base for urban systems in the MRB

### **K**EFERENCES

Angarita H., Wickel A. J., Sieber J., Chavarro J., Maldonado-Ocampo J. A., Herrera-R G. A., Delgado J., Purkey D., Basin-scale impacts of hydropower development on the Mompós Depression wetlands, Colombia. Hydrol. Earth Syst. Sci. 22, 2839–2865 (2018).

Arcaute, E., Hatna, E., Ferguson, P., Youn, H., Johansson, A., & Batty, M. (2015). Constructing cities , deconstructing scaling laws. Journal of The Royal Society Interface, 12(i), 3–6. https://doi.org/10.1098/rsif.2014.0745

Bettencourt, L. M. A., Lobo, J., Helbing, D., Kühnert, C., & West, G. B. (2007). Growth, innovation, scaling, and the pace of life in cities. Proceedings of the National Academy of Sciences of the United States of America, 104(17), 7301–7306. https://doi.org/10.1073/pnas.0610172104

![](_page_0_Picture_46.jpeg)

![](_page_0_Picture_47.jpeg)

approach is example presented case studv in the IN а Magdalena - MRB River Basin (Colombia):

- covers one quarter of Colombia's national territory
- provides sustenance to 36 million people
- three quarters of basin inhabitants live in urban settlements of 12 000 or more inhabitants
- 50% of population concentrated in the 15 largest cities