Comparison of Eulerian bin and Lagrangian particle-based schemes in simulations of Pi Chamber dynamics and microphysics

Wojciech W. Grabowski

Mesoscale and Microscale Meteorology Laboratory

NCAR, Boulder, Colorado, USA

(published in J. Atmos. Sci., 2020)









This material is based upon work supported by the National Center for Atmospheric Research, which is a major facility sponsored by the National Science Foundation under Cooperative Agreement No. 1852977.

Cloud inside the Pi chamber, laboratory apparatus at Michigan Tech, forms because of the mixing between air parcels originating at chamber bottom and top water-saturated boundaries



cold and water-saturated

warm and water-saturated

Moist Rayleigh-Bénard convection in the Pi chamber: thermal plumes, large-scale circulation, and boundary layers...

http://phy.sites.mtu.edu/cloudchamber/

Pi chamber dynamic simulations, condensation only:

- Bin microphysics with 20, 100, 500 CCN per cc BIN.20, BIN.100, BIN.500
 40 bins with 0.5 μm bin width
- Superdroplets with 20, 100, 500 CCN per cc SDs.20, SDs.100, SDs.500
 40 super-droplets per grid box

CCN: 50 nm NaCl particles in different concentrations: 20, 100, and 500 per cc

CCN activation supersaturation and radius: $S_{act} \sim 0.1\%$, $R_{act} \sim 0.7 \ \mu m$

Pdfs of the supersaturation inside simulated chamber show a good agreement.



Droplet spectra averaged over the volume away from boundaries show a very good agreement.

