





Hester Jiskoot

hester.jiskoot@uleth.ca

Dept. of Geography & Environment Lethbridge, AB, Canada

Deltares

Peter Gijsbers

peter.gijsbers@deltares.nl


Dept. of Inland Water Systems Delft, The Netherlands

Beach Observations of Plastic and Marine Litter along the Northwest Passage

id: EGU2020-7312

Research Question

- A need is identified to improve data collection on Plastics for certain parts of the Arctic Ocean region including Canada¹
- Scientific publications addressing marine litter in the Canadian Arctic region are limited² due to
 - High uncertainty in planning costly scientific expeditions to most remote areas due to ice conditions
 - If ice conditions allow, only limited time (~4-6 weeks) navigable accessibility
- Taking a citizen-science opportunity during a 2019 Northwest Passage expedition this publication aims to make the data collected available to the wider research audience to help answer the question:



What is the status of marine litter on remote shorelines along the Northwest Passage?

¹ D. Balton, B. Janis, H.Hrund Logaddottir, M. Maddox, F. Ulmer Policy and Action on Plastic in the Arctic Ocean, October 2019 Workshop Summary & Recommendations. p. 3, Belfer Center for Science and International Affairs and Woodrow Wilson International Center for Scholars, March 2020 ²M.P.T. Bourdages et al. No plastics detected in seal (Phocidae) stomachs harvested in the eastern Canadian Arctic. Marine Pollution Bulletin 150 (2020) 110772





Methodology

The marine litter status is assessed during the 2019 Northwest Passage expedition of the 1915 gaff ketch herring drifter Tecla³ by:

- conducting a series of beach observations at all non-settlement landings
- following the OSPAR Guideline for beach observations⁴
 - category and group identifiers adopted for 100m area surveys
 - surveys list date, position and by group: category id, name and amount
 - surveys indicate site characteristics such as approximate distance to nearest settlement, decay status and most likely origin of litter
 - beach lengths observed ranging from 100-400 m
 - litter was not collected, only identified
 - no observations were conducted at inhabited settlements

⁴OSPAR Commission, Guideline for Monitoring Marine Litter on the beaches in the OSPAR Maritime Area, 2010






for Monitoring Marine Litter on the Beaches in the

OSPAR Maritime Area

[⇔] Artic Ocean ⇔ Pacific Ocean). Scott Polar Research

³ Headland et al. Transits of the Northwest Passage to end of the 2019 Navigation Season (Atlantic Ocean ⇔ Artic Ocean ⇔ Pacific Ocean). Scott Polar Research Institute, 18 October 2019

Disembarkments of the NWP2019 expedition of the Tecla







Fortune Bay, Disko Island, Greenland

Date: 3 August 2019

Position: 69.257333 N, -53.741301 W

5 km west of Qeqertarsuaq (850 p)


close (300 m) to summer homes

most likely origin: local activities



Total	29
Plastic/polystyrene	21
2: bags (shopping)	2
4: drink bottle	2
6: food/fast food container	3
10: Jerry can	2
13: Plastic Crates	1
25: Plastic gloves	1
31: Rope/cords/nets < 50cm	2
32: Rope/cors/nets > 50cm	1
38: Buckets	1
40: Industr.packaging/plast. sheeting	2
42: Hard hats	1
46: Plastic/polystyrene pieces<50cm	3
Textiles/cloth	0
Paper + cardboard	2
64: Cigarette butts	2
Wood	3
69: Pallets	1
75: Other wood items > 50 cm	2
Metal	0
Glass	0
Ceramics & Pottery	0
Sanitary waste	3
98: Sani.towels/panty lines/back.strips	3









Disko Fjord, Disko Island, Greenland

Date: 3 August 2019

Position: 69.440 N, -54.17 W

11 km west of Kangerluk (<50 p)

derelict and overgrown fishing gear











Site Total
Plastic/polystyrene
4: drink bottle
5: cleaner container
10: Jerry can
13: Plastic Crates
15: Plastic Caps/lids
18: Comb/hair brushes
31: Rope/cords/nets < 50cm
32: Rope/cors/nets > 50cm
33: Tangled nets/cord
34: Fish boxes
37: Floats/bouys
40: Industrial packaging/plastic
sheeting
43: Shotgun cartidges
44: Shoes/sandals
Metal
85: Oil drums (old/rusty)
89: Other metal pieces > 50cm







North beach





Union Bay, Beechey Island, Nunavut, Canada

Date: 12 August 12 2019

Position: 74.725 N, -91.844 W

remote, 60 km East of Resolute (200 p)

most likely origin: flotsam

otal	2
Plastic/polystyrene	1
: cleaner container	-
Иetal	1
'8: Drink cans	_











Four Rivers Bay, Somerset Island, Nunavut, Canada

Date: 14 August 14 2019

Position: 72.741 N, -95.525 W

very remote, 250 km South of Resolute

most likely origin: jetsam, possibly left behind

Total	2
Metal	1
85: Oil drums (old/rusty)	1
Glass	1
90: Glass bottles	1











Weld Harbour, Boothia Peninsular, Nunavut, Canada

Date: 16 August 2019

Position: 71.093 N, -96.327 W

very remote, 450 km South of Resolute

most likely origin: flotsam

Total	4	
Plastic/polystyrene	4	
39: Strapping bands	3	
46: Plastic/polystyrene		
pieces<50cm	1	











M'Clintock Bay, King William Island, Nunavut, Canada

Date: 22 August 2019

Position: 68.645 N, -97.747 W

radar station site: Gladstone CAM2

• remote, 120 km W. of Gjoa Haven (1300 p) 31: Rope/cords/nets < 50cm

 most likely origin: waste dump former settlement (W), recent flotsam (F)







Deltares



















Jenny Lind Island, Nunavut, Canada

Date: 25 August 2019

Position: 68.65 N, -101.70 W

radar station site: Jenny Lind CAM1

• remote, 260 km E. Cambridge Bay (1620 p)^{38: Buckets}
Metal

 most likely origin: military camp (Bay side, W), flotsam (Gulf side, E) Total 5 5
Plastic/polystyrene 3 2
4: drink bottle 1
5: cleaner container 1
19: Crisps/sweet packets, lolly sticks 2
38: Buckets 1
Metal 2 3
78: Drink cans 2 2
88: Other metal pieces < 50cm 1



Bay side, non bleached



Deltares

Gulf side bleached/decayed









Queen Maud Gulf

Kugluktuk, Nunavut, Canada

Date: 2 September 2019

Position: 67.825 N, -115.155 W

- beach near airport
- 3 km East of Kugluktuk (1490 p)
- most likely origin: local campers

Total	6
Plastic/polystyrene	4
4: drink bottle	1
6: food/fast food container	1
47: Plastic/polystyrene pieces>50cm	1
48: Other plastic/polystyrene items	1
Metal	2
78: Drink cans	1
88: Other metal pieces < 50cm	1













Tininerk Bay, Northwest Territories, Canada

Date: 7 September 2019

Position: 69.600 N, -132.9765 W

8 km North of Tuktoyaktuk (900 p)

most likely origin: flotsam and jetsam deposits from Mackenzie river

Total	7
Plastic/polystyrene	6
5: cleaner container	1
8: engine oil container <50cm	1
40: Industr.packaging/plast. sheeting	1
46: Plastic/polystyrene pieces<50cm	3
Textiles/cloth	1
55: Furnishing	1
























Map based overview of observations and origins







(i)

Analysis and Discussion

The beach observations reveal the following types of pollution origins:

- remote shorelines show signs of decayed flotsam and jetsam, although oil drums may also have been left behind
- shorelines within short distance (<15 km) of inhabited settlements show signs of local activities such as camping, hunting and fishing
- shorelines near radar sites show signs of military camping activities
- abandoned settlements near radar stations such as the Distant Early Warning Line radar site Gladstone on King William Island, Nunavut and the abandoned LORAN site at Nipisat on Disko Island shown significant sights of environmental disturbances⁵

# of items (avg/site)	Total	Plastic	Rubber	Textiles	Paper	Wood	Metal	Glass	Ceramics
Total flotsam/jetsam (7 sites)	3.43	2.29	0	0.14	0	0	0.86	0.14	0
Total local activities (6 sites)	14.5	11.17	0	0	0.33	0.5	2	0	0
Total waste dump (1 site)	99	36	0	16	0	0	43	0	4

⁵ Lackenbauer, Whitney P. "The Cold War on Canadian Soil: Militarizing a Northern Environment." American Society for Environmental History, Vol. 12, No. 4. Special Issue on Canada (Oct 2007), 932.




Conclusions

- The beaches of the Canadian Arctic Archipelago, which are blocked by sea ice during most of the year, are not pristine.
- Truly remote places have received marine pollution for decades to centuries with bleached items (mostly cleaner containers, other plastic pieces, drink cans) providing the most visible evidence
- Where (abandoned) settlements are at close range pollution from local activities can be discovered with drink bottles, food containers, fishing derelict, shotgun cartridges, drink cans and oil drums providing the most visible evidence
- Flotsam and jetsam are small contributors compared to local activities (current or former)
- Former local activities, current local activities, ocean currents, wind patterns, ice rafting, distance to river mouths, and flotsam, jetsam and derelict all determine the type and amount of marine litter along the Northwest Passage



Many thanks to the Tecla and crew for its 2019 NWP expedition





Photos: Peter Gijsbers, Jim Shaw Satellite Images: © Google Earth



