

EGU23-9668, updated on 15 Apr 2024
<https://doi.org/10.5194/egusphere-egu23-9668>
EGU General Assembly 2023
© Author(s) 2024. This work is distributed under
the Creative Commons Attribution 4.0 License.



Interrogating the influence of shallow convective mixing on low-level clouds with observations of stable water isotopes

Sylvia Dee¹, Jun Hu^{1,2}, Adriana Bailey³, Jesse Nusbaumer³, Christiana Sasser^{4,5}, and John Worden⁶

¹Department of Earth, Environmental and Planetary Science, Rice University, Houston, TX, USA

²College of Ocean and Earth Sciences, Xiamen University, Xiamen, China

³National Center for Atmospheric Research, Boulder, CO, USA

⁴Cooperative Science Center for Earth Systems Sciences and Remote Sensing Technologies, National Oceanic and Atmospheric Administration, Baltimore, MD, USA

⁵Department of Mechanical Engineering, University of Maryland, Baltimore, MD, USA

⁶Jet Propulsion Laboratory, California Institute of Technology, Pasadena, CA, USA

Low-cloud feedbacks contribute large uncertainties to climate projections and estimated climate sensitivity. A key physical process modulating low-cloud feedbacks is shallow convective mixing between the boundary layer and the free troposphere. However, there are challenges in acquiring observational estimations of shallow convective mixing with global coverage. To this end, we propose a novel approach to constraining convective mixing using stable water vapor isotope profiles from satellite retrievals. We demonstrate that the vertical gradient of water vapor δD between the boundary layer and free troposphere can be used to track shallow convective mixing, especially over the trade-wind regions. We also evaluate this metric of shallow convective mixing against the EUREC4A experiment data. Analyzing isotopes in water vapor alongside low-cloud properties from satellite retrievals, we find that low-cloud fraction appears insensitive to convective mixing in trade cumulus regions. Our results suggest that satellite-derived observations of the relationship between shallow convective mixing and low-cloud are regionally-dependent, and strong shallow convective mixing is associated with moistening of the free troposphere in the tropics. The new estimations of low-cloud properties and their relationship with changes in convective mixing using water isotopes have potential to improve the simulation of low-cloud feedbacks in numerical simulations, refining estimates of climate sensitivity.