



## **Turbulence-induced heat and moisture transport at the snow-air interface**

H. Huwald (1), C. W. Higgins (1), S. A. Drake (2), A. W. Nolin (2), E. R. Parodyjak (3), and M. B. Parlange (1)

(1) School of Architecture, Civil and Environmental Engineering, Ecole Polytechnique Fédérale de Lausanne, Switzerland (hendrik.huwald@epfl.ch), (2) Geosciences Department, Oregon State University, Corvallis, USA, (3) Department of Mechanical Engineering, University of Utah, Salt Lake City, USA

Accurate measurement of the heat and moisture flux components of the energy budget of a snow pack is difficult, and to date no generally satisfying methods exist. In particular, little quantitative information exists on heat and water vapor exchange associated to dynamically driven air movement in the snow pack as a consequence of atmospheric turbulence. This so-called wind-pumping constitutes a controlling mechanism for forced release of saturated air from the snow pack and contributes to evaporation and sublimation from the snow which, in turn, affects the turbulent latent heat flux. A unique experiment and measurement system has been developed and deployed in the field to investigate and quantify the influence of atmospheric turbulence on heat and moisture transport across the snow-air interface. To this end, high-frequency measurements of 3-dimensional wind component, air temperature, and water vapor fluctuations were taken simultaneously with differential air pressure fluctuations at several depths in the snow pack. The analysis addresses changes in frequency, amplitude, and penetration depth of the pressure fluctuations with depth, and the relationship of turbulence intensity to attenuation characteristics of the pressure within the snow pack. Finally, the study aims at understanding how turbulence-induced air pressure dynamics within the snow pack impacts turbulent sensible and latent heat flux above the snow surface.