

Research at a European Planetary Simulation Facility

J. P. Merrison, J.J. Iversen, A.B. Jakobsen, K.R. Rasmussen

¹Institute of Physics and Astronomy, University of Aarhus, DK-8000 Aarhus C, Denmark

(merrison@phys.au.dk/ Fax: +45-86120740)

Abstract

This unique environmental simulation facility is capable of re-creating extreme terrestrial, Martian and other planetary environments. It is supported by ESA and EU activities. Specifically it is capable of recreating the key physical parameters such as temperature, pressure (composition), wind flow and importantly the suspension/transport of dust or sand particulates. This facility is available both to the scientific and Industrial community. The latest research and networking activities will be presented.

1. Activities Overview

This environmental simulator facility is utilized for a broad range of research programs including; the study of other planets (such as Mars), for recreating extreme terrestrial environments, or in specific investigations involving aerosols and other forms of particulate transport.

This facility is part of a European network (VERTIGO) recently established to investigate the dynamics within volcanic ash clouds and pyroclastic flows.

Under the EU supported EUROPLANET transnational access program several research groups have had access to this facility, mostly involving specific Martian environment studies.

Other activities include the development, testing and calibration of sensor and planetary lander systems, both for ESA and NASA. Currently testing for missions ExoMars and Mars2020 are scheduled.

2. Design and Operation

The simulator consists of an environmental (thermal-vacuum) chamber within which a re-circulating wind tunnel is housed [1,2,6]. The wind is generated by a set of two fans which draw flow down the 2m×1m tunnel section and return it above and below. The test

section can be fully removed for access. Wind speeds in the range 1-25 m/s have been demonstrated.



Figure 1 The main Planetary Simulation Facility.

Cooling is achieved by a novel liquid nitrogen flow system which has achieved temperatures below -150°C, an electric heater system is also employed. The inner chamber is thermally isolated from the vacuum chamber.

A server based control system provides both control over wind flow, temperature, pressure, lighting, etc., but also acts as a data logger.

3. Planetary Simulation

The combination of low pressure, low temperature, composition and aerosol injection is ideal for recreating the environment of the upper atmosphere (for example of the gas giants).



Figure 2 Planetary Simulator design.

With also control of wind flow this facility is well suited for recreating the environment at the surfaces of Mars, Earth and Titan.



Figure 3 wind tunnel test section showing LED based illumination system (solar simulator).

4. Atmospheric Aerosols

A unique capability of this wind tunnel facility is the production and controlled study of suspended particulates (dust, ash, sand, etc.). This type of experiment is a continuation of a large body of research performed over the past decade studying dust aerosols, specifically granular electrification, erosion and deposition rates [1,2,3,4]. This research has direct relevance to aerosol studies on Earth which impact air quality, the environment and climate.

An advanced type of Laser aerosol and (2D) wind flow sensor is used for detailed study and control of these environmental parameters.

In recent studies this technology has been used to measure the settling rates of micron sized (0.25 – 40 μm) spherical silica particles at pressures below where conventional Stokes settling theory is valid and the so called Cunningham correction (or slip factor) are usually used. This work has direct relevance and applicability to aerosols in the upper atmospheres (above troposphere) of any/all planetary atmospheres.

5. Dust and Sand transport;

The interaction of wind and the planetary surface, specifically the transport of sand and dust is fundamental to understanding the evolution of the planets surface and atmosphere. Laboratory studies of the entrainment, flow, deposition and erosion are

scarce and empirical in nature. The effects of low atmospheric pressure, composition, temperature and even gravity can now be studied in detail. For example detailed measurements of sand grain trajectories are now being made under Martian pressure and composition in wind tunnel studies. This has direct relevance to the recent and still poorly understood observations of active sand transport at the Martian surface.




Figure 4 Laser based wind/dust sensor used for aerosol studies.

6. Conclusion

This planetary simulation facility has many unique features which make it well suited for both research applications and the development/testing of instrumentation. Details of this laboratory facility will be presented and some of the most recent activities will be summarized. For information on access to this facility please contact the author.

References

- [1] J.P. Merrison et al., *Icarus* **191**, 568 (2007)
- [2] J.P. Merrison et al., *Planet. Space. Sci.* **56**, 426 (2008) 16
- [3] J.P. Merrison, et al., *Planet. Space. Sci.*, 60, 328-335 (2012)
- [4] J.P. Merrison, *Aeolian Research*, 4, 1–16 (2012)
- [5] J.P. Merrison, *Wind Tunnels: S. Okamoto (Ed.)*, Intech ISBN 978-953-307-295-1, pp. 1–22 (2011)
- [6] C. Holstein-Rathlou, et al., *American Meteorological Society*, 31, 447 (2014)